

L Number	Hits	Search Text	DB	Time stamp
2	2953	socket\$1 and (packet\$1 datagram)	USPAT; IBM_TDB	2003/12/10 12:21
3	1669	(socket\$1 and (packet\$1 datagram)) and channel\$1	USPAT; IBM_TDB	2003/12/10 11:01
4	4227	(decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)	USPAT; IBM_TDB	2003/12/10 11:02
5	143	((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)	USPAT; IBM_TDB	2003/12/10 09:59
6	123	((((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)) and (address))	USPAT; IBM_TDB	2003/12/10 11:02
7	52994	(node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial)	USPAT; IBM_TDB	2003/12/10 10:04
8	55	(((((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)) and (address)) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )	USPAT; IBM_TDB	2003/12/10 10:04
9	28	(((((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)) and (address)) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and virtual	USPAT; IBM_TDB	2003/12/10 10:52
10	8	(((((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)) and (address)) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (vpn (virtual near private near network\$1))	USPAT; IBM_TDB	2003/12/10 11:01
11	18	((((((decrypt\$3 decode\$3 decipher\$4) NEAR4 (packet\$1 datagram)) and ((socket\$1 and (packet\$1 datagram)) and channel\$1)) and (address)) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and virtual) and (username (user near name) (user near id) (user near identification) (user near identity))	USPAT; IBM_TDB	2003/12/10 12:22
13	168	(socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))	USPAT; IBM_TDB	2003/12/10 11:01
14	123	((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))	USPAT; IBM_TDB	2003/12/10 11:02
15	96	((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )	USPAT; IBM_TDB	2003/12/10 11:02
16	96	((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address)	USPAT; IBM_TDB	2003/12/10 11:47

17	91	((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))	USPAT; IBM_TDB	2003/12/10 11:47
19	700	(sender\$1) near3 (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)	USPAT; IBM_TDB	2003/12/10 11:05
20	91	((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)	USPAT; IBM_TDB	2003/12/10 12:21
21	6	((sender\$1) near3 (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)) and (((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7))	USPAT; IBM_TDB	2003/12/10 11:06
22	85	((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)) not (((sender\$1) near3 (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)) and (((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)))	USPAT; IBM_TDB	2003/12/10 11:22
23	18155	(shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)	USPAT; IBM_TDB	2003/12/10 12:19

24	37	(((((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)) not (((sender\$1 near3 (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)) and (((decrypt\$3 decod\$3 decipher\$4) and (((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near private near network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number identity serial) )) and (address))) and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)))) and ((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory))	USPAT; IBM_TDB	2003/12/10 11:22
27	1		USPAT; IBM_TDB	2003/12/10 11:48
28	134	spawn\$3 near3 child	USPAT; IBM_TDB	2003/12/10 12:05
29	54	((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)	USPAT; IBM_TDB	2003/12/10 11:46
31	15	((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1	USPAT; IBM_TDB	2003/12/10 12:06
32	4	(decrypt\$3 decod\$3 decipher\$4) and (((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1)	USPAT; IBM_TDB	2003/12/10 12:06
33	3	((decrypt\$3 decod\$3 decipher\$4) and (((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1)) and (address)	USPAT; IBM_TDB	2003/12/10 12:06
34	2	((decrypt\$3 decod\$3 decipher\$4) and (((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1)) and (address)) and channel\$1	USPAT; IBM_TDB	2003/12/10 12:02
35	3	((decrypt\$3 decod\$3 decipher\$4) and (((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1)) and (address)) and (channel\$1 link\$1)	USPAT; IBM_TDB	2003/12/10 12:06
36	458	spawn\$3 and ((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory))	USPAT; IBM_TDB	2003/12/10 12:17
37	131	(spawn\$3 and ((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory))) and socket\$1	USPAT; IBM_TDB	2003/12/10 12:06
38	12	((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1 and (channel\$1 link\$1)	USPAT; IBM_TDB	2003/12/10 12:18
40	3	(decrypt\$3 decod\$3 decipher\$4) and (((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1 and (channel\$1 link\$1)) and (address))	USPAT; IBM_TDB	2003/12/10 12:19
39	10	((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)) and socket\$1 and (channel\$1 link\$1)) and (address)	USPAT; IBM_TDB	2003/12/10 12:19
42	430	spawn\$3 and socket\$1	USPAT; IBM_TDB	2003/12/10 12:18
43	355	(spawn\$3 and socket\$1) and (channel\$1 link\$1)	USPAT; IBM_TDB	2003/12/10 12:22

44	282	((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address)	USPAT; IBM_TDB	2003/12/10 12:19
45	143	(decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))	USPAT; IBM_TDB	2003/12/10 12:19
46	136	((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))) and shar\$4	USPAT; IBM_TDB	2003/12/10 12:20
47	129	((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))) and shar\$4 and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7)	USPAT; IBM_TDB	2003/12/10 12:21
48	100	((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))) and shar\$4 and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7) and (packet\$1 datagram)	USPAT; IBM_TDB	2003/12/10 12:21
49	74	((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))) and shar\$4 and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7) and (packet\$1 datagram) and (username (user near name) (user near id) (user near identification) (user near identity))	USPAT; IBM_TDB	2003/12/10 12:22
50	5	((sender\$1) near3 (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7) and (((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3 and socket\$1) and (channel\$1 link\$1)) and (address))) and shar\$4 and (authenticat\$3 validat\$3 authoriz\$4 authoris\$4 verif\$7) and (packet\$1 datagram))	USPAT; IBM_TDB	2003/12/10 12:22
51	3	("6606708" or ("6600733" or ("6079020")).PN.	USPAT; IBM_TDB	2003/12/10 12:39